



State of Washington
Department of Ecology

Application for Permit to Use
Artificially Stored Ground Water

RECEIVED

DEC 14 2011

DEPARTMENT OF ECOLOGY
EASTERN REGIONAL OFFICE

(gray boxes for Ecology use only)

Application No. QB-1632A	WRIA 41	County Grant	Priority Date	Accepted
Applicant's Name JAMES K. ^{1st} MARGARET EDDIE Living Trust			KRuf 122011	Telephone Number 509-765-4641
Address (Street) 10493 Rd K NE		(City) MOSES LAKE	(State) WA	(Zip Code) 98837

Date and Place of incorporation (if applicant is a corporation)

e-mail: jkristianeddie@yahoo.com

Point of Withdrawal

Source (well, tunnel, infiltration trench, etc.)

Well or seep draw from surface

Times during year water will be required

JAN Thru Dec.

Maximum gallons per minute

1,000

Maximum acre-feet per year

700

Approximate location of withdrawal

**310 ft. South and 350 ft. West From The center of
Section 15 next To existing PUD Pole Line**

Located within (smallest legal subdivision)

NE 1/4 SW 1/4

Section

15

Township N.

20

Range (E. or W.) W.M.

28 E.

County

Grant

Do you own the land on which this source is located? If not, insert name and address of owner.

yes

Place of Use
Recorded Platted Property

Lot

Block

Of (Give name of plat or addition)

If irrigation, number of acres

120

If domestic, number of homes or units and type (residential, recreation, etc.)

Legal Description of Property (on which water is to be used)

Copy legal description from deed or attach copy of deed. Tax statement descriptions are not acceptable.
Also outline this property on the maps or plats submitted with this application.

LEGAL DESCRIPTION OF PROPERTY WATER TO BE USED ON

200 acres within that part of Larson Air Force Base located in the S $\frac{1}{2}$ of Section 15, and Section 16, Township 20 N., Range 28 E. W. M., Grant County, Washington, described as follows:

Beginning at the quarter corner common to said Sections 15 and 16, (whose Washington State Grid Zone coordinates are Y = 692,725.40 - X = 2,298,763.84 and are referred to U.S.C. & G.S. station "SPAD" whose Washington State Grid South Zone coordinates are Y = 676,911.66 - X = 2,288,625.74); thence N 89°34'39" E along the East-West centerline of said Sec. 15, 2,308.60 feet; thence N 13°33'09" E, 524.43 feet; thence S 76°23'34" E, 777.63 feet; thence S 13°44'39" W, 300.76 feet; thence S 27°29'33" E. 32.32 feet to the said East-West centerline of Section 15; thence N 89°34'39" E, 808.74 feet; thence S 53°19'17" W, 4,052.57 feet to the Northerly right-of-way line of a County Road known as Randolph Road; thence N 36°39'11" W along said Northerly right-of-way line 718.65 feet, to the P.C. of a curve to the left having a radius of 429.31 feet; thence Northwesterly along said curve through a central angle of 15°07'17" for 113.30 feet; thence N 17°18'57" E, 93.91 feet; thence N 72°41'03" W, 475.21 feet; thence N 17°18'57" E, 147.20 feet; thence N 72°41'03" W, 2,525.51 feet; thence N 00°14'46" W, 599.66 feet to the East-West centerline of said Section 16; thence N 89°45'18" E, along said

ECY centerline 2,614.10 feet to the point of beginning.

Are there any existing water rights appurtenant to the land on which the water is to be used?	Yes	No <input checked="" type="checkbox"/>
If yes, from what source and under what authority?		
Type of System Proposed		
Electric powered sprinklers		
Remarks		
Feel Free To ask For more information and Thanks		
For your work on This project.		

Signatures

James R. Eddie
Applicant's Signature

James R. Eddie Trustee
Legal Landowner's Signature

10493 Rd K NE Moses LK WA.
Legal Landowner's Address

For Ecology Use Only

State of Washington }
Department of Ecology } ss.

This is to certify that I have examined the foregoing application together with the accompanying maps and data, and return the same for correction or completion as follows:

In order to retain its priority, this application must be returned to the Department of Ecology with corrections, on or before, 20

Witnessed my hand this day of, 20

.....
Department of Ecology